

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Fig. 1/7


A. ECG in rest




B. ECG following exercise + epinephrine



C. Sudden cardiac death



Sustained VT



Non-sustained VT




Fig. 2/7





Fig. 3/7



Protocol

$V_h = -90 \text{ mV}$

rupture

4-5 min

4-5 min

4-5 min

Drug application

Washout

Activation

+80 mV train


Activation

+80 mV train

Activation

+80 mV train

+80 mV train



Activation






FIG. 4/7

JTV 1 μM



JTV-S36 1 μM



+80 mV train






FIG. 5/7


control




Vehicle




control




JTV 1 μ M



E4031 5 μ M



control



JTV-S36 1 μ M






FIG. 6/7

Vehicle n=2



JTV-S36 n=5



JTV n=3




FIG. 7/7